

CAM-Rechner

Art. No.	Description	Specifications	Picture		Customs Tariff No.	C/O*	SL*	WL.*	SNo.*	Stock*	WPC*	РОН*	PU*	Sales price in \$
30031	Internal CAM computer (vhf)	Windows and DentalCAM pre-installed including mounting material		1.543 lb 8	84718000	DE	S		X	1		_	1 PCS	3,010.00
30153	Power supply for internal CAM computer			0.500 lb 8	84733080		S		Х	1		1	1 PCS	74.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture	Weight	Customs Tariff No.	C/O*	SL*	WL.*	SNo.*	Stock*	WPC*	РОН*		Sales price in \$
30049	Control unit Z4		88	5.000 lb	85439000	DE	S		X	-		-	1 PCS	6,880.00
1884	End switch	including mounting material	2	0.049 lb	84818079	CZ	S			2		-	1 PCS	48.00
2010	Ethernet cable	length approx. 2.0 m		0.174 lb	85444210	CN	U			1		-	1 PCS	12.30
30288	Ethernet socket	including mounting material		0.057 lb	84799070	GB	S			-		-	1 PCS	41.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture W	Neight	Customs Tariff No.	C/O*	SL*	WL.*	SNo.* Stock*	WPC*	РОН*	PU*	Sales price in \$
30069	Fan-set for sealling air pumps	including mounting material and connection cable with connector		0.500 lb	84145925	DE	S		1		1	1 PCS	216.00
1827	Flow sensor	sensor without moving parts including mounting material and hose connectors		0.800 lb	90261021	FR	S		1		-	1 PCS	639.00
30181	Glass fuse T8.0A L250V	PU 10 pieces		0.035 lb	84799070	DE	S		1		1	1 PU	20.20
30337	HDMI port			0.088 lb	85366990	LI	S		-		-	1 PCS	43.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture W	Veight	Customs Tariff No.	C/O*	SL*	WL.*	SNo.* Stock*	WPC*	РОН*	PU*	Sales price in \$
30070	LED for working chamber lighting	inclusive light diffuser, gasket, mounting material	₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩	0.071 lb	84799070	DE	S		1		2	1 PCS	138.00
1982	Measuring key	including mounting material		0.500 lb	84799070	JP	S		1		1	1 PCS	581.00
1589	Power supply cord B	 connector plug up to 120 V plug type B length approx. 1.8 m UL certified 		0.700 lb	85444290		U		1		-	1 PCS	14.00
1944	Touchscreen unit	including frame and mounting material		2.500 lb	85285291	DE	S		-		-	1 PCS	1,570.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture	Weight	Customs Tariff No.	C/O*	SL*	WL.*	SNo.* Stock*	WPC*	POH*		Sales price in \$
30338	USB port			0.088 lb	85366990	LI	S		-		-	1 PCS	23.70
1950	Webcam	including mounting material and protective cap		0.227 lb	84799070	DE	S		-		-	1 PCS	504.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Housings and Accessories

Art. No.	Description	Specifications	Picture	Weight	Customs Tariff No.	C/O*	SL*	WL.*	SNo.* Stock	* WPC*	РОН*	PU*	Sales price in \$
30227	Housing cover Z4, type vhf	 with vhf labelling, colour signal white (RAL 9003) including insulation and housing screws without identification label 		10.000 lb	84799070	DE	S		-		-	1 PCS	1,840.00
30213	Screw kit for mounting of the housing cover			0.000 lb	73181552	DE	S		1		1	1 PU	14.00
1981	Snap lock for multi-purpose drawer	 electromechanical locking mechanism of the multi-purpose drawer including mounting material 		0.481 lb	84799070	DE	S		-		-	1 PCS	508.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture	Weight Customs Tariff No.	C/O*	SL*	WL.*	SNo.*	Stock*	WPC*	РОН*	PU*	Sales price in \$
30340	A-axis	including mounting material		1.144 lb 84799070	DE	S			-		-	1 PCS	1,470.00
30330	A-axis gear	including mounting material	24.72 000 24.72 000	0.000 lb 84799070	DE	S			-		-	1 PCS	118.00
2009	Axis motor	including cable with connection socket		0.836 lb 85011091	TW	S			-		-	1 PCS	236.00
1957	Bellows	including mounting material		0.360 lb 84799070	DE	S			1		-	1 PCS	393.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture	Weight Customs Tariff No.	C/O*	SL*	WL.*	SNo.*	Stock*	WPC*	РОН*	PU*	Sales price in \$
1661	Bellows coupling	including screws		0.022 lb 84799070	DE	S			1		-	1 PCS	67.00
1960	Calibration blank	PU 10 pieces		0.200 lb 84799070	DE	U			1		1	1 PU	59.00
1972	Collet chuck blank holder	including mounting material		0.200 lb 84799070	DE	U			1	X	1	1 PCS	508.00
1943	Cooling liquid pump	including mounting material and hose connectors R5: can be used for machines with serial numbers ≥ R5ID6 and retrofitted machines with serial numbers ≤ R5ID5	8	2.180 lb 84799070	DE	S			1	X	1	1 PCS	798.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture	Weight Customs Tariff No.	C/O*	SL*	WL.*	SNo.*	Stock*	WPC*	РОН*	PU*	Sales price in \$
30341	Coupler plug	For use in machines with date of manufacture from 05/2020 and for machines with retrofitted coupler plug.		0.353 lb 84799070	DE	S					-	1 PCS	161.00
1947	Coupling of the cooling liquid tank	including gasket		0.050 lb 84799070	DE	U			1	X	1	1 PCS	98.00
1958	Nozzle plate	including mounting material		0.080 lb 84799070	DE	S			1		1	1 PCS	161.00
1969	Tool magazine blue		000	0.300 lb 84799070	DE	U			1		1	1 PCS	177.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture	Weight	Customs Tariff No.	C/O*	SL*	WL.*	SNo.*	Stock*	WPC*	РОН*	PU*	Sales price in \$
1967	Tool magazine green			0.300 lb	84799070	DE	U			1		1	1 PCS	177.00
1971	Tool magazine insert	PU 5 pieces		0.050 lb	84799070	DE	U			2	X	1	1 PU	52.00
1966	Tool magazine red			0.300 lb	84799070	DE	U			1		1	1 PCS	177.00
1965	Tool magazine white			0.300 lb	84799070	DE	U			1		1	1 PCS	177.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture	Weight	Customs Tariff No.		SL*	WL.*	SNo.* Stock*	WPC*	РОН*		Sales price in \$
1968	Tool magazine yellow		000	0.300 lb	84799070	DE	U		1		1	1 PCS	177.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Pneumatical Parts

Art. No.	Description	Specifications	Picture	Weight Customs Tariff No.	C/O*	SL*	WL.*	SNo.* Stock*	WPC*	РОН*	PU*	Sales price in \$
2847	Compressed air sensor	including pneumatic hose and connection cable with connector		0.050 lb 84799070	DE	S		1		-	1 PCS	226.00
1952	Intake filter sealing air spindle	including hose connection		0.050 lb 84799070	DE	S		1		1	1 PCS	48.00
1664	Plastic hose 6 mm	UL-94-certified10 bar max.PU 3 m		0.015 lb 39173200	DE	U		1		-	1 PU	15.20

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture	Weight Customs Tariff No.	C/O*	SL*	WL.* SN	No.* Stock*	WPC*	РОН*	PU*	Sales price in \$
30126	Carrying aid Z4	including safety strap		13.889 lb 84799070	DE	U		-		-	1 PCS	259.00
1945	Cooling liquid tank	including coupling and cooling liquid filter		1.000 lb 84799070	DE	U		-		-	1 PCS	605.00
1948	Cover cooling liquid tank	including strainer basket		0.500 lb 84799070	DE	U		1		-	1 PCS	236.00
30071	Filter for cooling liquid tank	for installation in the cooling liquid filter – including gasket	OGO	0.165 lb 84212100	DE	U		1	X	1	1 PCS	195.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture	Weight Customs Tariff No.	C/O*	SL*	WL.*	SNo.*	Stock*	WPC*	РОН*	PU*	Sales price in \$
30058	Filter set	consisting of - 3 pcs. of fine filter - 6 g of activated carbon pellets		0.044 lb 84212100	DE	U			5		1	1 PCS	23.70
1850	Fin Food Lube	- for linear guiding - PU 250 ml safety data sheet: http://download.vhf.de	Parker State of Age Parker St	0.500 lb 27101999	NL	S			1	X	1	1 PCS	64.00
30342	Fixing screw for collet chuck blank holder	high quality titanium screwsPU 3 pieces		0.053 lb 73181595		U			1		1	1 PU	56.00
30077	Protective cap for the webcam	including gasket		0.035 lb 84799070	DE	U			1		1	1 PCS	46.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture W	Veight	Customs Tariff No.	C/O*	SL*	WL.*	SNo.* Stock*	WPC*	РОН*	PU*	Sales price in \$
30072	Service set for spindle and blank holder	for spindle and blank holder maintenance		0.500 lb	84799070	DE	U		1		1	1 PCS	238.00
1980	Transport lock for the spindle			0.050 lb	84799070	DE	U		1		-	1 PCS	38.00
30066	View window wiper	including mounting material	T T T	0.050 lb	40169300	CN	U		2	×	1	1 PCS	16.10
1865	White Grease	 for ball screw spindles tube 150 ml safety data sheet: http://download.vhf.de 	Prince of the state of the stat	0.500 lb	27101999	NL	U		1	Х	-	1 PCS	63.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Art. No.	Description	Specifications	Picture	Weight	Customs Tariff No.		SL*	WL.*	SNo.*	Stock*	WPC*	РОН*		Sales price in \$
1983	Working chamber door holder (left and right)	including mounting materialset of 2 pieces		0.050 lb	84799070	DE	S			1		1	1 SET	19.60

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Spindles and Accessories

Art. No.	Description	Specifications	Picture	Weight	Customs Tariff No.		SL*	WL.*	SNo.* Sto	ck* W	VPC*	POH*	PU*	Sales price in \$
30045	Collet chuck 3 mm, stainless	with ceramic coating		0.050 lb	84661020	DE	U		2		Х	1	1 PCS	238.00
1918	High frequency spindle SFZ 170P	- high frequency spindle rotational speed up to 100,000 RPM maximum power output 220 W continuous power 170 W 2-fold bearing hybrid ceramic ball bearings stainless steel collet chuck including service set and mounting material version with sealing air and cone cleaning including pneumatical collet chuck		2.200 lb	84799070	DE	S		X		X	1	1 PCS	5,640.00

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Tools

Art. No.	Description	Specifications	Picture	Weight Customs Tariff No.	C/O*	SL*	WL.* SNo.* Stock	WPC*	POH*	PU*	Sales price in \$
1512	Dial indicator with stand	- with 3D articulated arm and clamp stand - for true running and axis backlash measurements - measuring accuracy ± 0.01 mm		2.000 lb 84799070	JP	S	-		1	1 PCS	639.00
1841	Digital measuring slide	measuring range 100 mm		0.450 lb 84799070	CN	U	-		-	1 PCS	103.00
1731	Drill with 3 mm shank	Ø cutting edge 2.80 mm, Ø shank 3.0 mm L cutting edge 10.5 mm, L total 38 mm with stop ring		0.070 lb 82075090	DE	U	2	X	1	1 PCS	7.40
30078	Insert bit TX 10x35 mm			0.018 lb 82042000	DE	U	1		1	1 PCS	10.60

^{*} PU = packing unit | C/O = country of origin | SL = service level (U=user, S=service | WL = warranty limitation | SNo. = serial number required | Stock = stock recommendation * WPC = wear parts and consumables | POH = parts on hand (recommended minimum quantity for on site service calls)



Tools

Art. No.	Description	Specifications	Picture	Weight	Customs Tariff No.	C/O*	SL*	WL.*	SNo.* Stock*	WPC*	РОН*	PU*	Sales price in \$
1824	Service trolley case	 robust trolley case for service works precise measuring equipment and high-quality tools complete kit for all vhf Impression machines 		33.100 lb	82059090	DE	S		-		1	1 PCS	3,930.00

Please note that single articles can be used in several machine models. Our stock recommendation is intended for 1 to 20 machines per service base. We grant the standard discount for spare parts.

Warranty limitation: warranty claims can only be made if the relevant machine is inspected and repaired by vhf. Alternatively, the partner can order the part within the warranty period and exchange it at his/her own expense and liability.

Prices are list prices and do not include any discounts, tax, shipping or other charges that may apply • All purchases are subject to our Terms of Sale which can be found at www.vhf.com • Products, prices and terms are subject to change without notice • All prices exclude VAT, customs duties and transportation/packaging fees • All information given may change without further notice.

As of 02/06/2022 19